

Appendix A-10: Maternity (MAT-1) Measure Rate Calculation Rules

MAT-1 Measure Rules Effective as of January 1, 2015 discharges

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Categories

- X - Case will be rejected, not in measure population
- B - Case will be excluded, not in measure population
- D - In measure population, excluded from numerator
- E - In measure population, included in numerator

Data Element Sequence # / Name	Rule
1 Episode of Care	continue if value = MAT-1, otherwise assign to Category X
2 Provider Name	assign to Category X if field is empty (i.e., no characters)
3 Provider ID	check against Provider ID table, assign to Category X if missing or no match
4 First Name	assign to Category X if field is empty (i.e., no characters)
5 Last Name	assign to Category X if field is empty (i.e., no characters)
6 Birthdate	assign to Category X if field is empty (i.e., no date)
7 Sex	continue if value = F, otherwise assign to Category X
8 Postal Code	assign to Category X if field is empty (i.e., no postal code) or invalid
9 Race	check against Race Code table, assign to Category X if missing or no match
10 Ethnicity	check against Ethnicity Code table, assign to Category X if missing or no match
11 Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X
12 Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)
13 Patient ID	assign to Category X if field is empty (i.e., no characters)
14 Admission Date	date cannot be after Discharge Date, if so, assign to Category X assign to Category X if field is empty or invalid (i.e., no date)
15 Discharge Date	continue if date is within submission time frame, otherwise assign to Category X /cannot be prior to admit date assign to Category X if field is empty or invalid (i.e., no date)
16 Clinical Trial	if value = Y, assign to Category B / assign missing value to Category X
17 Discharge Disposition	check against Discharge Disposition Code table, assign to Category X if missing or no match
18 Payer Source	continue if valid value, otherwise assign to Category X
19 MassHealth Member ID	assign to Category X if field is empty or invalid (i.e., no characters)
20 Sample	continue if value = Y or N, otherwise assign to Category X

Appendix A-10: Maternity (MAT-1) Measure Rate Calculation Rules

MAT-1 Measure Rules Effective as of January 1, 2015 discharges

Data Element Sequence # / Name	Rule
21 Gestational Age	if value = (< or = 24 weeks), assign to Category B / assign to Category D if field is empty (i.e., no characters)
22 Admission Time	assign to Category D if field is invalid or empty (i.e., no characters)
23 IV Antibiotic (Non-GBS) MAT-1	if value = Y, assign to Category B / assign missing value to Category D
24 Cesarean Delivery	if value = Y, assign to Category B / assign missing value to Category D
25 Delivery Date	date cannot be before Admission Date or after Discharge Date, if so, assign to Category D assign to Category D if field is empty (i.e., no date) or invalid or value = UTD
26 Delivery Time	assign to Category D if field is empty, invalid (value > 23:59), or value = UTD
27 Live Newborn	if value = N, assign to Category B / assign missing value to Category D
28 Previous Infant with Invasive GBS	if value = Y, go to data element Intrapartum Antibiotics [sequence # 34]
29 GBS Bacteriuria	if value = Y, go to data element Intrapartum Antibiotics [sequence # 34]
30 GBS Screening	if value = P, go to data element Intrapartum Antibiotics [sequence # 34] if value = N, assign to Category B
31 Gestational Age < 37 Weeks	if value = Y, go to data element Intrapartum Antibiotics [sequence # 34]
32 Amniotic Membrane Rupture 18 or More Hours	if value = Y, go to data element Intrapartum Antibiotics [sequence # 34]
33 Intrapartum Temperature	if value = N, assign to Category B
34 Intrapartum Antibiotics	if value = N, assign to Category D / assign missing value to Category D
35 Antibiotic Name for GBS Prophylaxis	check against MAT-1 Antibiotic Name Code table, assign to Category D if missing or no match if value = 1, 2, 3, 5, or 6, go to data element Antibiotic Administration Date [sequence # 37]
36 Maternal Allergies	if value = N, assign to Category D / assign missing value to Category D
37 Antibiotic Administration Date	date cannot be after Delivery Date (MAT-1), if so, assign to Category D assign to Category D if field is empty (i.e., no date) or value = UTD
38 Antibiotic Administration Time	assign to Category D if field is empty, invalid (value > 23:59), or value = UTD
39 <i>calculated value</i>	if (Delivery Date and Time - Antibiotic Administration Date and Time) >= 0, assign to Category E if (Delivery Date and Time - Antibiotic Administration Date and Time) < 0, assign to Category D

$$\text{MEASURE RATE} = \frac{\text{Number of cases in Category E}}{\text{Number of cases in Category D} + \text{Number of cases in Category E}}$$

Appendix A-10: Maternity (MAT-2a) Measure Rate Calculation Rules

MAT-2a Measure Rules Effective as of January 1, 2015 discharges

Categories

- X - Case will be rejected, not in measure population
- B - Case will be excluded, not in measure population
- D - In measure population, excluded from numerator
- E - In measure population, included in numerator

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Data Element Sequence # / Name	Rule
1 Episode of Care	continue if value = MAT-2, otherwise assign to Category X
2 Provider Name	assign to Category X if field is empty (i.e., no characters)
3 Provider ID	check against Provider ID table, assign to Category X if missing or no match
4 First Name	assign to Category X if field is empty (i.e., no characters)
5 Last Name	assign to Category X if field is empty (i.e., no characters)
6 Birthdate	assign to Category X if field is empty (i.e., no date)
7 Sex	continue if value = F, otherwise assign to Category X
8 Postal Code	assign to Category X if field is empty (i.e., no postal code) or invalid
9 Race	check against Race Code table, assign to Category X if missing or no match
10 Ethnicity	check against Ethnicity Code table, assign to Category X if missing or no match
11 Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X
12 Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)
13 Patient ID	assign to Category X if field is empty (i.e., no characters)
14 Admission Date	date cannot be after Discharge Date, if so, assign to Category X assign to Category X if field is empty or invalid (i.e., no date)
15 Discharge Date	continue if date is within submission time frame, otherwise assign to Category X /cannot be prior to admit date assign to Category X if field is empty or invalid (i.e., no date)
16 Clinical Trial	if value = Y, assign to Category B / assign missing value to Category X
17 Discharge Disposition	check against Discharge Disposition Code table, assign to Category X if missing or no match
18 Payer Source	continue if valid value, otherwise assign to Category X
19 MassHealth Member ID	assign to Category X if field is empty or invalid (i.e., no characters)
20 Sample	continue if value = Y or N, otherwise assign to Category X

Appendix A-10: Maternity (MAT-2a) Measure Rate Calculation Rules

MAT-2a Measure Rules Effective as of January 1, 2015 discharges

Data Element Sequence # / Name	Rule
21 Infection Prior to Cesarean Section	if value = Y, assign to Category B / assign missing value to Category D
22 IV Antibiotic (Non-GBS) MAT-2	if value = Y, assign to Category B / assign missing value to Category D
23 Other Surgeries	if value = Y, assign to Category B / assign missing value to Category D
26 IV Antibiotic for Cesarean Section Prophylaxis	if value = N, assign to Category D / assign missing value to Category D
24 Cesarean Section Start Date	if value = UTD, assign to Category D / assign missing or invalid value to Category D
25 Cesarean Section Incision Time	if value = UTD, assign to Category D / assign missing or invalid value to Category D
27 Antibiotic Administration Date	assign to Category D if field is empty (i.e., no date), invalid, or value = UTD
28 Antibiotic Administration Time	assign to Category D if field is empty, invalid (i.e., value > 23:59), or value = UTD
29 <i>calculated value</i>	if (Cesarean Section Start Date and Incision Time - Antibiotic Administration Date and Time) < 0 minutes, assign to Category D if (Cesarean Section Start Date and Incision Time - Antibiotic Administration Date and Time) > 60 minutes, assign to Category D if (Cesarean Section Start Date and Incision Time - Antibiotic Administration Date and Time) >= 0 minutes and <= 60 minutes, assign to Category E

MEASURE RATE =

$$\frac{\text{Number of cases in Category E}}{\text{Number of cases in Category D} + \text{Number of cases in Category E}}$$

Appendix A-10: Maternity (MAT-2b) Measure Rate Calculation Rules

MAT-2b Measure Rules Effective as of January 1, 2015 discharges

Categories

- X - Case will be rejected, not in measure population
- B - Case will be excluded, not in measure population
- D - In measure population, excluded from numerator
- E - In measure population, included in numerator

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Data Element Sequence # / Name	Rule
1 Episode of Care	continue if value = MAT-2, otherwise assign to Category X
2 Provider Name	assign to Category X if field is empty (i.e., no characters)
3 Provider ID	check against Provider ID table, assign to Category X if missing or no match
4 First Name	assign to Category X if field is empty (i.e., no characters)
5 Last Name	assign to Category X if field is empty (i.e., no characters)
6 Birthdate	assign to Category X if field is empty (i.e., no date)
7 Sex	continue if value = F, otherwise assign to Category X
8 Postal Code	assign to Category X if field is empty (i.e., no postal code) or invalid
9 Race	check against Race Code table, assign to Category X if missing or no match
10 Ethnicity	check against Ethnicity Code table, assign to Category X if missing or no match
11 Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X
12 Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)
13 Patient ID	assign to Category X if field is empty (i.e., no characters)
14 Admission Date	date cannot be after Discharge Date, if so, assign to Category X assign to Category X if field is empty or invalid (i.e., no date)
15 Discharge Date	continue if date is within submission time frame, otherwise assign to Category X /cannot be prior to admit date assign to Category X if field is empty or invalid (i.e., no date)
16 Clinical Trial	if value = Y, assign to Category B / assign missing value to Category X
17 Discharge Disposition	check against Discharge Disposition Code table, assign to Category X if missing or no match
18 Payer Source	continue if valid value, otherwise assign to Category X
19 MassHealth Member ID	assign to Category X if field is empty or invalid(i.e., no characters)
20 Sample	continue if value = Y or N, otherwise assign to Category X

Appendix A-10: Maternity (MAT-2b) Measure Rate Calculation Rules

MAT-2b Measure Rules Effective as of January 1, 2015 discharges

Data Element Sequence # / Name	Rule
21 Infection Prior to Cesarean Section	if value = Y, assign to Category B / assign missing value to Category D
22 IV Antibiotic (Non-GBS) MAT-2	if value = Y, assign to Category B / assign missing value to Category D
23 Other Surgeries	if value = Y, assign to Category B / assign missing value to Category D
24 IV Antibiotic for Cesarean Section Prophylaxis	if value = N, assign to Category D / assign missing value to Category D
25 Antibiotic Name for Cesarean Section Prophylaxis	check against MAT-2 Antibiotic Name Code table, assign to Category D if missing or no match
	if value = 1, 2, or 3, assign to Category E
26 Maternal Allergies	if value = Y, assign to Category E
	if value = N, assign to Category D / assign missing value to Category D

MEASURE RATE =

$$\frac{\text{Number of cases in Category E}}{\text{Number of cases in Category D} + \text{Number of cases in Category E}}$$

Appendix 10: Maternity (MAT-3) Measure Rate Calculation Rules

MAT-3 Measure Rules Effective as of January 1, 2015 discharges

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Categories

- X - Case will be rejected, not in measure population
- B - Case will be excluded, not in measure population
- D - In measure population, excluded from numerator
- E - In measure population, included in numerator

Data Element Sequence # / Name	Rule
1 Episode of Care	continue if value = MAT-3, otherwise assign to Category X
2 Provider Name	assign to Category X if field is empty (i.e., no characters)
3 Provider ID	check against Provider ID table, assign to Category X if missing or no match
4 First Name	assign to Category X if field is empty (i.e., no characters)
5 Last Name	assign to Category X if field is empty (i.e., no characters)
6 Birthdate	assign to Category X if field is empty (i.e., no date)
7 Sex	continue if value = F, otherwise assign to Category X
8 Postal Code	assign to Category X if field is empty (i.e., no postal code) or invalid
9 Race	check against Race Code table, assign to Category X if missing or no match
10 Ethnicity	check against Ethnicity Code table, assign to Category X if missing or no match
11 Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X
12 Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)
13 Patient ID	assign to Category X if field is empty (i.e., no characters)
14 Admission Date	date cannot be after Discharge Date, if so, assign to Category X assign to Category X if field is empty or invalid (i.e., no date)
15 Discharge Date	continue if date is within submission time frame, otherwise assign to Category X/ cannot be prior to admit date assign to Category X if field is empty or invalid (i.e., no date)
17 Discharge Disposition	check against Discharge Disposition Code table, assign to Category X if missing or no match
18 Payer Source	continue if valid value, otherwise assign to Category X
19 MassHealth Member ID	assign to Category X if field is empty or invalid (i.e., no characters)
20 Sample	continue if value = Y or N, otherwise assign to Category X
21 ICD-9-CM Principal or Other Diagnosis Code	if value = on table 11.07, assign to Category B / assign missing value to Category X
22 Clinical Trial	if value = Y, assign to Category B / assign missing value to Category X

Appendix 10: Maternity (MAT-3) Measure Rate Calculation Rules

MAT-3 Measure Rules Effective as of January 1, 2015 discharges

Data Element Sequence # / Name	Rule
23 Gestational Age	if value = (<37 or >= 39) <u>or UTD</u> , assign to Category B / assign missing value to Category E
24 ICD-9-CM Principal or Other Diagnosis Code	if value = on table 11.06.1, assign to Category D
25 ICD-9-CM Principal or Other Procedure Code	if value = on table 11.05, assign to Category E
26 ICD-9-CM Principal or Other Procedure Code	if value = none on 11.06, assign to Category D
27 Labor	if value = Y, assign to Category D / assign missing value to Category E
28 <u>Prior Uterine Surgery</u>	<u>if value = Y, assign to Category D / assign missing value to Category E</u> <u>if value = N, assign to Category E</u>

MEASURE RATE =

$$\frac{\text{Number of cases in Category E}}{\text{Number of cases in Category D} + \text{Number of cases in Category E}}$$

Appendix 10: Maternity (MAT-4) Measure Rate Calculation Rules

MAT-4 Measure Rules Effective as of January 1, 2015 discharges

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Categories

- X - Case will be rejected, not in measure population
- B - Case will be excluded, not in measure population
- D - In measure population, excluded from numerator
- E - In measure population, included in numerator

Data Element Sequence # / Name	Rule
1 Episode of Care	continue if value = MAT-4, otherwise assign to Category X
2 Provider Name	assign to Category X if field is empty (i.e., no characters)
3 Provider ID	check against Provider ID table, assign to Category X if missing or no match
4 First Name	assign to Category X if field is empty (i.e., no characters)
5 Last Name	assign to Category X if field is empty (i.e., no characters)
6 Birthdate	assign to Category X if field is empty (i.e., no date)
7 Sex	continue if value = F, otherwise assign to Category X
8 Postal Code	assign to Category X if field is empty (i.e., no postal code) or invalid
9 Race	check against Race Code table, assign to Category X if missing or no match
10 Ethnicity	check against Ethnicity Code table, assign to Category X if missing or no match
11 Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X
12 Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)
13 Patient ID	assign to Category X if field is empty (i.e., no characters)
14 Admission Date	date cannot be after Discharge Date, if so, assign to Category X assign to Category X if field is empty or invalid (i.e., no date)
15 Discharge Date	continue if date is within submission time frame, otherwise assign to Category X/ cannot be prior to admit date assign to Category X if field is empty or invalid (i.e., no date)
17 Discharge Disposition	check against Discharge Disposition Code table, assign to Category X if missing or no match
18 Payer Source	continue if valid value, otherwise assign to Category X
19 MassHealth Member ID	assign to Category X if field is empty or invalid (i.e., no characters)
20 Sample	continue if value = Y or N, otherwise assign to Category X
21 ICD-9-CM Principal or Other Diagnosis Code	if value = on table 11.09, assign to Category B / assign missing value to Category X
22 ICD-9-CM Principal or Other Diagnosis Code	if value = none on table 11.08, assign to Category B / assign missing value to Category X
23 Clinical Trial	if value = Y, assign to Category B / assign missing value to Category X

Appendix 10: Maternity (MAT-4) Measure Rate Calculation Rules

MAT-4 Measure Rules Effective as of January 1, 2015 discharges

Data Element Sequence # / Name	Rule
24 Gestational Age	if value = <37 or UTD, assign to Category B / assign missing value to Category E
25 Parity	if value = >0, assign to Category B / assign missing value to Category E
	if value = UTD, assign to Category E
26 ICD-9-CM Principal or Other Procedure Code	if value = none on table 11.06, assign to Category D / assign missing value to Category D
	if value = on table 11.06, assign to Category E

PER CASE DESIGNATION

Assign each case to the category designation of:

1. included in numerator, included in denominator = Category E (Numerator)
2. excluded from numerator, included in denominator = Category D; (Denominator = D + E)

CALCULATE THE RISK ADJUSTED MEASURE RATE =

Refer to Section 3.E, Cesarean Section, Risk Adjustment, for the National Maternal Distribution Weight at First Delivery detailed in the Table: Direct Standardization File Information for the calculation of the risk adjusted measure rate.

1. Within each age stratum, count the number of denominator and numerator cases found.
2. Within each age stratum, calculate the observed measure rate as the count of numerator cases divided by count of denominator cases.
3. Within each age stratum, multiply the observed measure rate by the corresponding National Maternal Distribution Weight at First Delivery, using the table provided in Section 3.E, to create the weighted cesarean section measure rates. The weighted rate should be calculated to 8 decimal points.
4. Sum up the weighted rates over all the age strata to calculate aggregate risk-adjusted rate and rounded to 6 decimal points.
5. Convert the risk adjusted rate to a percent by multiplying the risk-adjusted rate decimal by 100%.

Appendix A-10 Care Coordination (CCM-1) Measure Rate Calculation Rules

CCM-1 Measure Rules Effective as of January 1, 2015 discharges

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Categories

- X - Case will be rejected, not in measure population
- B - Case will be excluded, not in measure population
- D - In measure population, excluded from numerator
- E - In measure population, included in numerator

Data Element Sequence # / Name	Rule
1 Episode of Care	continue if value = CCM, otherwise assign to Category X
2 Provider Name	assign to Category X if field is empty (i.e., no characters)
3 Provider ID	check against Provider ID table, assign to Category X if missing or no match
4 First Name	assign to Category X if field is empty (i.e., no characters)
5 Last Name	assign to Category X if field is empty (i.e., no characters)
6 Birthdate	assign to Category X if field is empty (i.e., no date)
7 Sex	assign to Category X if field is empty (i.e., no characters)
8 Postal Code	assign to Category X if field is empty (i.e., no postal code) or invalid
9 Race	check against Race Code table, assign to Category X if missing or no match
10 Ethnicity	check against Ethnicity Code table, assign to Category X if missing or no match
11 Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X
12 Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)
13 Patient ID	assign to Category X if field is empty (i.e., no characters)
14 Admission Date	date cannot be after Discharge Date, if so, assign to Category X assign to Category X if field is empty or invalid (i.e., no date)
15 Discharge Date	continue if date is within submission time frame, otherwise assign to Category X /cannot be prior to admit date assign to Category X if field is empty or invalid (i.e., no date)
16 Clinical Trial	<u>assign to Category X if field is empty (i.e., no characters)</u>
17 Discharge Disposition	if value = 6, 7, assign to Category B/ assign to Category X if missing or no match
18 Payer Source	continue if valid value, otherwise assign to Category X
19 MassHealth Member ID	assign to Category X if field is empty or invalid(i.e., no characters)
20 Sample	continue if value = Y or N, otherwise assign to Category X
21 Reconciled Medication List	if value = N, assign to Category D / assign missing value to Category D if value = Y, assign to Category E

MEASURE RATE =

$$\frac{\text{Number of cases in Category E}}{\text{Number of cases in Category D} + \text{Number of cases in Category E}}$$

Appendix A-10 Care Coordination (CCM-2) Measure Rate Calculation Rules

CCM-2 Measure Rules Effective as of January 1, 2015 discharges

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Categories

- X - Case will be rejected, not in measure population
- B - Case will be excluded, not in measure population
- D - In measure population, excluded from numerator
- E - In measure population, included in numerator

Data Element Sequence # / Name	Rule
1 Episode of Care	continue if value = CCM, otherwise assign to Category X
2 Provider Name	assign to Category X if field is empty (i.e., no characters)
3 Provider ID	check against Provider ID table, assign to Category X if missing or no match
4 First Name	assign to Category X if field is empty (i.e., no characters)
5 Last Name	assign to Category X if field is empty (i.e., no characters)
6 Birthdate	assign to Category X if field is empty (i.e., no date)
7 Sex	assign to Category X if field is empty (i.e., no characters)
8 Postal Code	assign to Category X if field is empty (i.e., no postal code) or invalid
9 Race	check against Race Code table, assign to Category X if missing or no match
10 Ethnicity	check against Ethnicity Code table, assign to Category X if missing or no match
11 Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X
12 Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)
13 Patient ID	assign to Category X if field is empty (i.e., no characters)
14 Admission Date	date cannot be after Discharge Date, if so, assign to Category X assign to Category X if field is empty or invalid (i.e., no date)
15 Discharge Date	continue if date is within submission time frame, otherwise assign to Category X /cannot be prior to admit date assign to Category X if field is empty or invalid (i.e., no date)
16 Clinical Trial	<u>assign to Category X if field is empty (i.e., no characters)</u>
17 Discharge Disposition	if value = 6, 7, assign to Category B/ assign to Category X if missing or no match
18 Payer Source	continue if valid value, otherwise assign to Category X
19 MassHealth Member ID	assign to Category X if field is empty or invalid (i.e., no characters)
20 Sample	continue if value = Y or N, otherwise assign to Category X

Appendix A-10 Care Coordination (CCM-2) Measure Rate Calculation Rules

CCM-2 Measure Rules Effective as of January 1, 2015 discharges

Data Element Sequence # / Name	Rule
21 Transition Record	if value = N, assign to Category D / assign missing value to Category D
22 Reason for Inpatient Admission	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
23 Medical Procedures & Tests	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
24 Discharge Diagnosis	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
25 Current Medication List	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
26 Studies Pending at Discharge	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
27 Patient Instructions	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
28 Advance Care Plan	if patient < 18, go to data element Contact Information 24/7 (Sequence #29) assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
29 Contact Information 24 hrs/ 7 days	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
30 Contact Information Studies Pending	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
31 Plan for Follow-Up Care	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
Primary Physician/ Health Care Professional Designated for Follow-Up	
32 Care	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter
<i>calculated value</i>	if patient <18 and transition record counter < 10, assign to Category D if patient <18 and transition record counter = 10, assign to Category E if patient >= 18 and transition record counter < 11, assign to Category D if patient >= 18 and transition record counter = 11, assign to Category E

$$\text{MEASURE RATE} = \frac{\text{Number of cases in Category E}}{\text{Number of cases in Category D} + \text{Number of cases in Category E}}$$

Appendix A-10 Care Coordination (CCM-3) Measure Rate Calculation Rules

CCM-3 Measure Rules Effective as of January 1, 2015 discharges

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Categories

- X - Case will be rejected, not in measure population
- B - Case will be excluded, not in measure population
- D - In measure population, excluded from numerator
- E - In measure population, included in numerator

Data Element Sequence # / Name	Rule
1 Episode of Care	continue if value = CCM, otherwise assign to Category X
2 Provider Name	assign to Category X if field is empty (i.e., no characters)
3 Provider ID	check against Provider ID table, assign to Category X if missing or no match
4 First Name	assign to Category X if field is empty (i.e., no characters)
5 Last Name	assign to Category X if field is empty (i.e., no characters)
6 Birthdate	assign to Category X if field is empty (i.e., no date)
7 Sex	assign to Category X if field is empty (i.e., no characters)
8 Postal Code	assign to Category X if field is empty (i.e., no postal code) or invalid
9 Race	check against Race Code table, assign to Category X if missing or no match
10 Ethnicity	check against Ethnicity Code table, assign to Category X if missing or no match
11 Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X
12 Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)
13 Patient ID	assign to Category X if field is empty (i.e., no characters)
14 Admission Date	date cannot be after Discharge Date, if so, assign to Category X
	assign to Category X if field is empty or invalid (i.e., no date)
15 Discharge Date	continue if date is within submission time frame, otherwise assign to Category X / cannot be prior to admit date
	assign to Category X if field is empty or invalid (i.e., no date)
16 Clinical Trial	<u>assign to Category X if field is empty (i.e., no characters)</u>
17 Discharge Disposition	if value = 6, 7, assign to Category B/ assign to Category X if missing or no match
18 Payer Source	continue if valid value, otherwise assign to Category X
19 MassHealth Member ID	assign to Category X if field is empty or invalid (i.e., no characters)
20 Sample	continue if value = Y or N, otherwise assign to Category X

Appendix A-10 Care Coordination (CCM-3) Measure Rate Calculation Rules

CCM-3 Measure Rules Effective as of January 1, 2015 discharges

Data Element Sequence # / Name	Rule
21 Transmission Date	if value = UTD, assign to Category D / assign missing or invalid value to Category D
22 <i>calculated value</i>	if (Transmission Date - Discharge Date) > 2 days, assign to Category D
	if (Transmission Date - Discharge Date) < 0 days, assign to Category D
	if (Transmission Date - Discharge Date) >= 0 and <= 2 days, assign to Category E

$$\text{MEASURE RATE} = \frac{\text{Number of cases in Category E}}{\text{Number of cases in Category D} + \text{Number of cases in Category E}}$$